

# COUP D'ETAT




**Kheops Wall Sconce**  
**by Entrelacs**  
*Contemporary*  
France

Bronze wall sconce with alabaster diffuser.















6.30" W x 7.59" D x 157.48" H  
160 x 193 x 400 mm  
LW-ENTRELACS-KHEOPS 400

6.58" W x 7.29" D x 237.63" H  
167 x 185.10 x 603.59 mm  
LW-ENTRELACS-KHEOPS 600

# KHEOPS 400 WALL SCONCE BY ENTRELACS




<b>ITEM NO.</b>	<b>DIMENSIONS</b>	<b>LUMENS</b>	2600 LM (NOMINAL)
LW-ENTRELACS-KHEOPS 400	6.30" W X 7.59" D X 157.48" H	<b>WATTS</b>	32 W

<b>DESCRIPTION</b>	<b>SPECIFICATIONS</b>	<b>CERTIFICATES</b>	 
BRONZE WALL SCONCE WITH ALABASTER DIFFUSER.	<b>CLASS : 2</b>	<b>STANDARD</b>	    
<b>BRONZE FINISH OPTIONS*</b>	<b>PROTECTION : IP44</b>	<b>OPTIONS</b>	
RAW MEDIUM BROWN BLACK LIGHT MARBLE	<b>MAIN POWER : 220-240 V-50/60 HZ</b>	<b>COLORS</b>	  
*BRONZE FINISHES ARE LIVING FINISHES.LACQUER TOPCOAT AVAILABLE UPON REQUEST.	<b>LAMPING : XICATO® LINEARTAPE</b> - 27 V DC, CONSTANT VOLTAGE - 32 W - 2600 LUMENS (NOMINAL)	<b>DIMMING</b>	  
	<b>COLOR : 2700 K, 3000 K, 3500 K, 4000 K</b>	* FACTORY SETTING	
	<b>DRIVER : OUTSIDE (DIMMABLE), INSIDE (DIMMABLE)</b>		
	<b>WEIGHT : 7 KG / 16 LBS</b>		

### ALABASTER OPTIONS


WHITE VEINED  
BROWN VEINED



### ADDITIONAL INFO

BODY LAMP PATINATED BRONZE - PROTECTIVE VARNISH  
 - ALABASTER DIFFUSER, 220-240V / 50-60HZ / 27V  
 - LED CANNOT BE CHANGED / 32 W

# KHEOPS 600 WALL SCONCE BY ENTRELACS



<b>ITEM NO.</b>	<b>DIMENSIONS</b>	<b>LUMENS</b>	2600 LM (NOMINAL)
LW-ENTRELACS-KHEOPS 600	6.58" W X 7.29" D X 237.63" H	<b>WATTS</b>	32 W

## DESCRIPTION

BRONZE WALL SCONCE WITH ALABASTER DIFFUSER.

## BRONZE FINISH OPTIONS\*

RAW  
 MEDIUM BROWN  
 BLACK  
 LIGHT MARBLE

\*BRONZE FINISHES ARE LIVING FINISHES. LACQUER TOPCOAT AVAILABLE UPON REQUEST.

## ALABASTER OPTIONS

WHITE VEINED  
 BROWN VEINED

## SPECIFICATIONS

**CLASS** : 2

**PROTECTION** : IP44

**MAIN POWER** : 220-240 V-50/60 HZ

**LAMPING** : XICATO® LINEARTAPE  
 - 27 V DC, CONSTANT VOLTAGE  
 - 32 W - 2600 LUMENS (NOMINAL)

**COLOR** : 2700 K, 3000 K, 3500 K, 4000 K

**DRIVER** : OUTSIDE (DIMMABLE),  
 INSIDE (DIMMABLE)

**WEIGHT** : 10 KG / 24 LBS

## CERTIFICATES



## STANDARD



## OPTIONS



## COLORS



## DIMMING



\* FACTORY SETTING

## ADDITIONAL INFO

BODY LAMP PATINATED BRONZE - PROTECTIVE VARNISH  
 - ALABASTER DIFFUSER, 220-240V / 50-60HZ / 27V  
 - LED CANNOT BE CHANGED / 32 W

## PATINAS



FNRB

FNMB

FNBK

FNLMB  
 OPTION

## ALABASTERS



WHITE  
 VEINED

BROWN  
 VEINED