





# NEPENTHES COMPLEX


## (SMALL)

SPECIFICATIONS	OPTIONS	ADDITIONAL INFORMATION	WARRANTY
<p><b>ORDERING CODE</b> NEP.PLX.S</p> <p><b>LAMP</b> G4 12V LED 2.5W 2700K</p> <p><b>LUMENS</b> 1200 LM</p> <p><b>VOLTAGE</b> 12V DC</p> <p><b>WATTS</b> 20 W</p> <p><b>WEIGHT</b> Approx. 30.5 kg</p> <p><b>INCLUSIONS</b> Power Supply Unit x 60W</p> <p><b>EXCLUSIONS</b> User Interface, Dimmer Unit</p>	<p><b>FINISHES</b></p> <p>AB Aged Brass BB Brushed Brass HRB Hand Rubbed Brass DB Dark Bronze MP Mottled Patina VER Verdigris PB Polished Brass CP Copper CR Chrome SN Satin Nickel 24K 24K Gold</p> <p><b>CANOPY</b></p> <p>C-250-FM* Chain 250 Flush C-280-FM† Chain 280 Flush C-250-SM* Chain 250 Surface C-280-SM† Chain 280 Surface * Remote Power Supply † Integral Power Supply <i>Refer to canopy specification guide</i></p>	<ul style="list-style-type: none"> <li>Nepenthes Tendril is a solid fixture that will require very little maintenance over the years. If your Nepenthes Tendril is treated with care, it will shine brightly for many years to come.</li> <li>Contact us for custom variations.</li> <li>Installation should only be undertaken by a qualified professional.</li> </ul>	<ul style="list-style-type: none"> <li>5 Years Fixture</li> <li>5 Years Power Supply Unit</li> <li>3 Years LED</li> </ul>
<p>Fig 1. – Front view</p>		<p>Fig 2. – Side view</p>	




# NEPENTHES COMPLEX (MEDIUM)

SPECIFICATIONS	OPTIONS	ADDITIONAL INFORMATION	WARRANTY
<p><b>ORDERING CODE</b> NEP.PLX.M</p> <p><b>LAMP</b> G4 12V LED 2.5W 2700K</p> <p><b>LUMENS</b> 1800 LM</p> <p><b>VOLTAGE</b> 12V DC</p> <p><b>WATTS</b> 30 W</p> <p><b>WEIGHT</b> Approx. 45.5 kg</p> <p><b>INCLUSIONS</b> Power Supply Unit x 60W</p> <p><b>EXCLUSIONS</b> User Interface, Dimmer Unit</p>	<p><b>FINISHES</b></p> <p>AB Aged Brass BB Brushed Brass HRB Hand Rubbed Brass DB Dark Bronze MP Mottled Patina VER Verdigris PB Polished Brass CP Copper CR Chrome SN Satin Nickel 24K 24K Gold</p> <p><b>CANOPY</b></p> <p>C-250-FM* Chain 250 Flush C-280-FM† Chain 280 Flush C-250-SM* Chain 250 Surface C-280-SM† Chain 280 Surface * Remote Power Supply † Integral Power Supply <i>Refer to canopy specification guide</i></p>	<ul style="list-style-type: none"> <li>Nepenthes Tendril is a solid fixture that will require very little maintenance over the years. If your Nepenthes Tendril is treated with care, it will shine brightly for many years to come.</li> <li>Contact us for custom variations.</li> <li>Installation should only be undertaken by a qualified professional.</li> </ul>	<ul style="list-style-type: none"> <li>5 Years Fixture</li> <li>5 Years Power Supply Unit</li> <li>3 Years LED</li> </ul>
		<p><i>Fig 1. – Front view</i></p>	<p><i>Fig 2. – Side view</i></p>





2450MM / 96.4"



980MM / 38.5"

# NEPENTHES COMPLEX (LARGE)

SPECIFICATIONS	OPTIONS	ADDITIONAL INFORMATION	WARRANTY
<p><b>ORDERING CODE</b> NEP.PLX.L</p> <p><b>LAMP</b> G4 12V LED 2.5W 2700K</p> <p><b>LUMENS</b> 3900 LM</p> <p><b>VOLTAGE</b> 12V DC</p> <p><b>WATTS</b> 65 W</p> <p><b>WEIGHT</b> Approx. 76 kg</p> <p><b>INCLUSIONS</b> Power Supply Unit x 100W</p> <p><b>EXCLUSIONS</b> User Interface, Dimmer Unit</p>	<p><b>FINISHES</b></p> <p>AB Aged Brass BB Brushed Brass HRB Hand Rubbed Brass DB Dark Bronze MP Mottled Patina VER Verdigris PB Polished Brass CP Copper CR Chrome SN Satin Nickel 24K 24K Gold</p> <p><b>CANOPY</b></p> <p>C-250-FM* Chain 250 Flush C-280-FM† Chain 280 Flush C-250-SM* Chain 250 Surface C-280-SM† Chain 280 Surface * Remote Power Supply † Integral Power Supply <i>Refer to canopy specification guide</i></p>	<ul style="list-style-type: none"> <li>Nepenthes Tendril is a solid fixture that will require very little maintenance over the years. If your Nepenthes Tendril is treated with care, it will shine brightly for many years to come.</li> <li>Contact us for custom variations.</li> <li>Installation should only be undertaken by a qualified professional.</li> </ul>	<ul style="list-style-type: none"> <li>5 Years Fixture</li> <li>5 Years Power Supply Unit</li> <li>3 Years LED</li> </ul>
			
<i>Fig 1. – Front view</i>		<i>Fig 2. – Side view</i>	



3180MM / 125.1"



2660MM / 104.7"