

ORP

Oblique Rhombic Prism is a pared-back structure that allows sacred geometry and light to come together as one.

ORP emphasises simplicity and form, connecting elements that speak to the links between all formations of life.




ORP X finished in Brushed Brass.



ORP

(SMALL)




SPECIFICATIONS	OPTIONS	ADDITIONAL INFORMATION	WARRANTY
ORDERING CODE ORPS LAMP 24V LED WW 2700K LUMENS 4833 LM VOLTAGE 24V DC WATTS 40 W WEIGHT Approx. 7kg (not including canopy) INCLUSIONS Power Supply Unit x 60W EXCLUSIONS User Interface, Dimmer Unit	FINISHES AB Aged Brass BB Brushed Brass HRB Hand Rubbed Brass DB Dark Bronze MP Mottled Patina PCB Powdercoat Matte Black PCW Powdercoat Matte White PB Polished Brass BSS Brushed Stainless Steel PSS Polished Stainless Steel SUSPENSION Vertical Cable CANOPY R-80-FM* Round 80 Flush R-125-FM* Round 125 Flush R-300-FM† Round 300 Flush R-125-SM* Round 125 Surface R-300-SM† Round 300 Surface * Remote Power Supply † Integral Power Supply <i>Refer to canopy specification guide</i>	• ORP is a solid fixture that will require very little maintenance over the years. If your ORP is treated with care, it will shine brightly for many years to come. • Contact us for custom variations. • Installation should only be undertaken by a qualified professional.	• 5 Years Fixture • 5 Years Power Supply Unit • 5 Years LED
Fig 1. – Front view		Fig 2. – Side view	



ORP

(MEDIUM)




SPECIFICATIONS	OPTIONS	ADDITIONAL INFORMATION	WARRANTY
ORDERING CODE ORP.M LAMP 24V LED WW 2700K LUMENS 7008 LM VOLTAGE 24V DC WATTS 58 W WEIGHT Approx. 10kg (not including canopy) INCLUSIONS Power Supply Unit x 100W EXCLUSIONS User Interface, Dimmer Unit	FINISHES AB Aged Brass BB Brushed Brass HRB Hand Rubbed Brass DB Dark Bronze MP Mottled Patina PCB Powdercoat Matte Black PCW Powdercoat Matte White PB Polished Brass BSS Brushed Stainless Steel PSS Polished Stainless Steel SUSPENSION Vertical Cable CANOPY R-80-FM* Round 80 Flush R-125-FM* Round 125 Flush R-300-FM† Round 300 Flush R-125-SM* Round 125 Surface R-300-SM† Round 300 Surface * Remote Power Supply † Integral Power Supply <i>Refer to canopy specification guide</i>	• ORP is a solid fixture that will require very little maintenance over the years. If your ORP is treated with care, it will shine brightly for many years to come. • Contact us for custom variations. • Installation should only be undertaken by a qualified professional.	• 5 Years Fixture • 5 Years Power Supply Unit • 5 Years LED
Fig 1. – Front view		Fig 2. – Side view	



ORP

(LARGE)

SPECIFICATIONS	OPTIONS	ADDITIONAL INFORMATION	WARRANTY
ORDERING CODE ORPL LAMP 24V LED WW 2700K LUMENS 9063 LM VOLTAGE 24V DC WATTS 75 W WEIGHT Approx. 14kg (not including canopy) INCLUSIONS Power Supply Unit x 100W EXCLUSIONS User Interface, Dimmer Unit	FINISHES AB Aged Brass BB Brushed Brass HRB Hand Rubbed Brass DB Dark Bronze MP Mottled Patina PCB Powdercoat Matte Black PCW Powdercoat Matte White PB Polished Brass BSS Brushed Stainless Steel PSS Polished Stainless Steel SUSPENSION Vertical Cable CANOPY R-80-FM* Round 80 Flush R-125-FM* Round 125 Flush R-300-FM† Round 300 Flush R-125-SM* Round 125 Surface R-300-SM† Round 300 Surface * Remote Power Supply † Integral Power Supply <i>Refer to canopy specification guide</i>	• ORP is a solid fixture that will require very little maintenance over the years. If your ORP is treated with care, it will shine brightly for many years to come. • Contact us for custom variations. • Installation should only be undertaken by a qualified professional.	• 5 Years Fixture • 5 Years Power Supply Unit • 5 Years LED
Fig 1. – Front view		Fig 2. – Side view	



ORP XXX

SPECIFICATIONS	OPTIONS	ADDITIONAL INFORMATION	WARRANTY
ORDERING CODE ORP.X LAMP 24V LED WW 2700K LUMENS 11479 LM VOLTAGE 24V DC WATTS 95 W WEIGHT Approx. 18kg (not including canopy) INCLUSIONS Power Supply Unit x 150W EXCLUSIONS User Interface, Dimmer Unit	FINISHES AB Aged Brass BB Brushed Brass HRB Hand Rubbed Brass DB Dark Bronze MP Mottled Patina PCB Powdercoat Matte Black PCW Powdercoat Matte White PB Polished Brass BSS Brushed Stainless Steel PSS Polished Stainless Steel SUSPENSION Vertical Cable CANOPY R-80-FM* Round 80 Flush R-125-FM* Round 125 Flush R-300-FM† Round 300 Flush R-125-SM* Round 125 Surface R-300-SM† Round 300 Surface * Remote Power Supply † Integral Power Supply <i>Refer to canopy specification guide</i>	• ORP is a solid fixture that will require very little maintenance over the years. If your ORP is treated with care, it will shine brightly for many years to come. • Contact us for custom variations. • Installation should only be undertaken by a qualified professional.	• 5 Years Fixture • 5 Years Power Supply Unit • 5 Years LED
Fig 1. – Front view		Fig 2. – Side view	

